Supplemental Table 1. Age adjusted relationships between demographic variables and injury history in the full sample.

and injury mistory in the full sai				
	Any injury OR (95% CI)	Any injury p-value	Severe injury OR (95% CI)	Severe injury p-value
Dog demographics Height & Weight together Dog Height (per 4 inches taller) Dog Weight (per 10 pounds heavier)	1.05 (0.94, 1.18) 1.03 (0.96, 1.10)	0.010°	1.08 (0.92, 1.27) 0.99 (0.90, 1.09)	0.26
Breed Border Collie  Mixed Breed  Shetland Sheepdog  Australian Shephard  Other	1.91 (1.63, 2.24) 1.02 (0.83, 1.24) 1.05 (0.81, 1.37) 1.01 (0.77, 1.31) REFERENCE	<0.001ª	1.74 (1.42, 2.14) 0.84 (0.63, 1.12) 0.95 (0.65, 1.38) 0.70 (0.47, 1.06) REFERENCE	<0.001ª
Country/Region United States Canada  UK / Ireland  Cont. Europe  Australia  Other	REFERENCE 1.04 (0.83, 1.30) 1.32 (1.07, 1.61) 1.34 (1.06, 1.69) 1.76 (1.27, 2.43) 1.47 (1.13, 1.91)	<0.001°	REFERENCE 0.85 (0.62, 1.16) 1.08 (0.81, 1.43) 0.85 (0.60, 1.21) 1.21 (0.79, 1.86) 1.20 (0.84, 1.72)	0.49
Age brought dog home  <8 weeks 8-12 weeks  13-15 weeks  4-6 months  7-12 months  >12 months	0.98 (0.84, 1.16) REFERENCE 0.99 (0.75, 1.31) 0.87 (0.66, 1.15) 0.91 (0.69, 1.20) 0.62 (0.49, 0.79)	0.007ª	0.90 (0.72, 1.13) REFERENCE 1.05 (0.72, 1.53) 1.05 (0.73, 1.52) 0.95 (0.65, 1.38) 0.65 (0.46, 0.91)	0.21
How acquired Breeder  Rescue / Shelter Other	REFERENCE 0.82 (0.69, 0.97) 1.01 (0.81,	0.059ª	REFERENCE 0.85 (0.62, 1.15) 0.88 (0.70,	0.39

	1.26)		1.12)	
Acquired w/agility in mind	,	$0.08^{a}$	,	$0.09^{a}$
	0.88 (0.77,		0.85 (0.70,	
No	1.02)		1.03)	
Yes Agility main sport focus	REFERENCE	0.016ª	REFERENCE	0.22
Agility main sport locus	REFERENCE	0.010	0.99 (0.79,	0.22
Yes	2		1.24)	
	1.03 (0.88,		1.29 (0.96,	
Mostly	1.21)		1.74)	
N -	0.72 (0.57,		REFERENCE	
No Sex / Neuter status	0.91)	0.50		0.70
Male, Intact	REFERENCE	0.50	REFERENCE	0.70
raic, intact	0.88 (0.69,		1.02 (0.71,	
Female, Intact	1.13)		1.48)	
	1.07 (0.82,		1.16 (0.81,	
Male, Neutered <10 months	1.39)		1.66)	
Male, Neutered 10-18 months	0.95 (0.75, 1.20)		0.88 (0.62, 1.24)	
months	0.92 (0.71,		0.96 (0.67,	
Male, Neutered >24 months	1.19)		1.37)	
	1.17 (0.92,		1.20 (0.87,	
Female, Spayed <1 cycle	1.49)		1.66)	
Female, Spayed 1 cycle	0.97 (0.74, 1.27)		0.95 (0.65, 1.39)	
Temale, Spayed 1 cycle	1.02 (0.81,		1.04 (0.75,	
Female, Spayed >1 cycle	1.29)		1.44)	
Front dew claws		$0.008^{a}$		0.016ª
Intact	REFERENCE		REFERENCE	
Removed	0.83 (0.72, 0.95)		0.85 (0.70, 1.03)	
Removed	0.61 (0.36,		0.28 (0.10,	
Unknown	1.03)		0.78)	
Rear dew claws	,	0.69	·	0.56
	0.95 (0.81,		0.88 (0.70,	
Intact	1.12)		1.11)	
Removed or born without	REFERENCE 0.89 (0.64,		REFERENCE 0.92 (0.59,	
Unknown	1.24)		1.45)	
Docked tail	,	0.001ª	-,	0.007ª
	0.74 (0.63,		0.72 (0.57,	
Yes	0.88)		0.92)	
No / unknown Growth plate x-rays	REFERENCE	0.007ª	REFERENCE	0.001ª
Not done	REFERENCE	0.007	REFERENCE	0.001
	1.25 (1.06,		1.43 (1.16,	
Done at least once	1.47)		1.77)	
Handler demographics		0.0073		0.0013
Handler current age		<0.001 <sup>a</sup>		0.001ª

18-24 25-34 35-44 45-54 55-64	REFERENCE 1.15 (0.83, 1.59) 1.19 (0.86, 1.66) 1.02 (0.75, 1.41) 0.87 (0.64, 1.19) 0.57 (0.40, 0.79)		REFERENCE 0.86 (0.54, 1.34) 1.03 (0.66, 1.60) 0.97 (0.63, 1.49) 0.70 (0.46, 1.07) 0.55 (0.35, 0.88)	
Handler gender	0.7.57	0.43	0.007	0.64
Female  Male  Other gender identity	REFERENCE 0.85 (0.64, 1.14) 0.80 (0.43, 1.47)		REFERENCE 0.82 (0.54, 1.23) 0.99 (0.44, 2.26)	
Handler education	1.7/	0.51	2.20)	0.043ª
Graduate or professional degree  4-year college  2-year college  Some college  HS degree (or less)	REFERENCE 1.10 (0.94, 1.29) 1.20 (0.96, 1.49) 1.04 (0.85, 1.27) 1.10 (0.88, 1.38)	0.51	REFERENCE 1.07 (0.86, 1.33) 1.42 (1.07, 1.88) 0.83 (0.62, 1.11) 1.02 (0.74, 1.41)	0.045
Handler profession Not a dog trainer Paid trainer, not primary job Professional trainer	REFERENCE 1.36 (1.17, 1.57) 1.32 (1.05, 1.66)	<0.001°	REFERENCE 1.25 (1.03, 1.53) 1.46 (1.09, 1.97)	0.009ª
Handler medical training / experience None of these Veterinarian  Licensed vet tech  Veterinary assistant Human health care professional	REFERENCE 0.64 (0.45, 0.92) 0.83 (0.55, 1.25) 1.34 (0.89, 2.02) 0.94 (0.78, 1.13)	0.062ª	REFERENCE 0.81 (0.48, 1.37) 1.12 (0.66, 1.93) 2.45 (1.53, 3.93) 1.20 (0.94, 1.55)	0.003ª
Handler agility experience <3 years 3-5 years	0.96 (0.75, 1.23) 1.14 (0.94, 1.38)	0.018ª	0.56 (0.36, 0.87) 1.09 (0.84, 1.42)	0.066ª

6-10 years 11-15 years >15 years	1.27 (1.07, 1.50) 1.26 (1.04, 1.53) REFERENCE		0.95 (0.76, 1.19) 1.05 (0.82, 1.35) REFERENCE	
Handler competed at national level No Yes	REFERENCE 1.27 (1.12, 1.44)	<0.001°	REFERENCE 1.19 (0.99, 1.42)	0.060°
Handler competed at international level No Yes	REFERENCE 1.47 (1.20, 1.80)	<0.001ª	REFERENCE 1.09 (0.83, 1.44)	0.55

<sup>&</sup>lt;sup>a</sup>p<0.20 and included in initial adjusted model

Supplemental Table 2. Age adjusted relationships between demographic variables and injury history in the North American (NA) and non-North American (non-NA) samples.

•	North American OR (95% CI)	NA p-value	Non-NA OR (95% CI)	Non-NA p-value
Dog demographics				
Height & Weight together		$0.028^{a}$		$0.19^{a}$
Dog Height (per 4 inches taller)	1.04 (0.90, 1.20)		1.02 (0.84, 1.23)	
Dog Weight (per 10 pounds heavier)	1.04 (0.95, 1.13)		1.07 (0.94, 1.21)	
Breed		<0.001ª		<0.001a
Border Collie	1.70 (1.39, 2.07)		2.23 (1.69, 2.93)	
Mixed Breed	0.85 (0.67, 1.08)		1.46 (1.03, 2.07)	
Shetland Sheepdog	1.07 (0.79, 1.45)		1.01 (0.61, 1.70)	
Australian Shephard	0.95 (0.71, 1.27)		1.47 (0.77, 2.81)	
Other	REFÉRENCE		REFÉRENCE	
Country/Region		0.74		0.45
United States	REFERENCE			
Canada	1.02 (0.91, 1.14)			
UK / Ireland	•		REFERENCE	
Cont. Europe			1.02 (0.76, 1.35)	
Australia			1.33 (0.92, 1.92)	

Other			1.12 (0.82, 1.53)	
Age brought dog home  <8 weeks 8-12 weeks  13-15 weeks  4-6 months  7-12 months  >12 months	0.95 (0.78, 1.16) REFERENCE 1.14 (0.81, 1.58) 0.91 (0.65, 1.27) 1.01 (0.74, 1.39) 0.57 (0.43, 0.75)	0.004ª	1.06 (0.79, 1.41) REFERENCE 0.72 (0.42, 1.22) 0.79 (0.48, 1.32) 0.69 (0.38, 1.25) 0.93 (0.57, 1.51)	0.55
How acquired Breeder  Rescue / Shelter  Other	REFERENCE 1.04 (0.79, 1.36) 0.80 (0.65, 0.98)	0.077ª	REFERENCE 0.93 (0.64, 1.35) 0.90 (0.65, 1.25)	0.78
Acquired w/agility in mind  No Yes	0.83 (0.70, 0.99) REFERENCE	0.034 ª	0.91 (0.71, 1.16) REFERENCE	0.44
Agility main sport focus Yes Mostly No	REFERENCE 1.03 (0.85, 1.24) 0.71 (0.54, 0.93)	0.035ª	REFERENCE 1.09 (0.81, 1.48) 0.83 (0.52, 1.33)	0.58
Sex / Neuter status Male, Intact  Female, Intact  Male, Neutered <10 months Male, Neutered 10-18 months  Male, Neutered >24 months  Female, Spayed <1 cycle  Female, Spayed 1 cycle  Female, Spayed >1 cycle	REFERENCE 0.77 (0.56, 1.07) 1.08 (0.79, 1.48) 0.95 (0.71, 1.26) 0.83 (0.61, 1.14) 1.11 (0.84, 1.48) 0.91 (0.65, 1.27) 1.08 (0.81, 1.43)	0.30	REFERENCE 1.03 (0.69, 1.53) 1.09 (0.66, 1.80) 1.00 (0.65, 1.54) 1.25 (0.78, 1.99) 1.49 (0.95, 2.32) 1.05 (0.67, 1.64) 0.90 (0.59, 1.38)	0.61
Front dew claws Intact Removed	REFERENCE 0.95 (0.81, 1.11)	0.33	REFERENCE 0.62 (0.39, 0.97)	0.063ª

Unknown	0.63 (0.33, 1.20)		0.60 (0.25, 1.43)	
Rear dew claws Intact Removed or born without Unknown	0.95 (0.75, 1.19) REFERENCE 0.87 (0.59, 1.31)	0.74	0.76 (0.59, 0.98) REFERENCE 0.83 (0.47, 1.47)	0.096ª
Docked tail  Yes No / unknown	0.84 (0.70, 1.00) REFERENCE	0.054ª	0.55 (0.31, 0.96) REFERENCE	0.035°
Growth plate x-rays Not done  Done at least once	REFERENCE 1.32 (1.10, 1.59)	0.003ª	REFERENCE 1.31 (0.91, 1.88)	0.15ª
Handler demographics	,		,	
Handler current age		<0.001°		0.15ª
18-24 25-34	REFERENCE 1.09 (0.67, 1.77) 1.28 (0.79,		REFERENCE 1.29 (0.83, 2.01) 1.17 (0.74,	
35-44	2.07) 1.18 (0.74,		1.84) 0.91 (0.58,	
45-54	1.87) 0.95 (0.60,		1.44) 1.01 (0.63,	
55-64	1.49) 0.62 (0.38,		1.62) 0.70 (0.39,	
65+	0.99)		1.27)	
Handler gender Female Male	REFERENCE 0.68 (0.46, 0.99)	0.08ª	REFERENCE 1.10 (0.69, 1.76)	0.81
Other gender identity	0.67 (0.32, 1.39)		1.70) 1.37 (0.41, 4.63)	
Handler education	1.55)	0.50	4.03)	0.54
Graduate or professional		0.50		0.51
degree	REFERENCE 1.11 (0.92,		REFERENCE 1.16 (0.85,	
4-year college	1.33) 1.15 (0.90,		1.59) 1.48 (0.94,	
2-year college	1.48) 0.99 (0.78,		2.32) 1.12 (0.78,	
Some college	1.26) 0.88 (0.63,		1.61) 1.13 (0.82,	
HS degree (or less)	1.24)	0 10 a	1.57)	√0 001 a
Handler profession  Not a dog trainer	REFERENCE 1.18 (0.98,	0.10 ª	REFERENCE 1.61 (1.25,	<0.001 °
Paid trainer, not primary job	1.41)		2.06)	

Professional trainer	1.23 (0.95, 1.60)		1.78 (1.09, 2.89)	
Handler medical training /		0.33		0.15ª
experience	DEFEDENCE		DEFEDENCE	
None of these Veterinarian	REFERENCE 0.69 (0.45,		REFERENCE 0.53 (0.28,	
Vetermanan	1.07)		1.02)	
	0.97 (0.62,		0.50 (0.17,	
Licensed vet tech	1.51)		1.49)	
Veterinary assistant	1.38 (0.84, 2.28)		1.24 (0.59, 2.59)	
Human health care	1.03 (0.83,		0.80 (0.55,	
professional	1.28)		1.16)	
Handler agility experience	0.07.(0.60	0.003ª	0.00 (0.57	0.89
<3 years	0.87 (0.62, 1.21)		0.86 (0.57, 1.29)	
13 years	1.18 (0.93,		0.88 (0.62,	
3-5 years	1.49)		1.24)	
6.10	1.38 (1.13,		0.91 (0.65,	
6-10 years	1.68) 1.33 (1.06,		1.26) 1.02 (0.69,	
11-15 years	1.65)		1.49)	
>15 years	REFÉRENCE		REFÉRENCE	
Handler competed at		0.007ª		0.022ª
national level No	REFERENCE		REFERENCE	
Yes	1.24 (1.06,		1.31 (1.04,	
	1.44)		1.66)	
Handler competed at international level		0.21		0.008ª
No	REFERENCE		REFERENCE	
Yes	1.21 (0.90,		1.48 (1.11,	
	1.64)		1.97)	

<sup>&</sup>lt;sup>a</sup>p<0.20 and included in initial adjusted model